Trenz Electronic GmbH - TE0722-02-07S-1C Datasheet



Welcome to E-XFL.COM

Understanding Embedded - Microcontroller, Microprocessor, FPGA Modules

Embedded - Microcontroller, Microprocessor, and FPGA Modules are fundamental components in modern electronic systems, offering a wide range of functionalities and capabilities. Microcontrollers are compact integrated circuits designed to execute specific control tasks within an embedded system. They typically include a processor, memory, and input/output peripherals on a single chip. Microprocessors, on the other hand, are more powerful processing units used in complex computing tasks, often requiring external memory and peripherals. FPGAs (Field Programmable Gate Arrays) are highly flexible devices that can be configured by the user to perform specific logic functions, making them invaluable in applications requiring customization and adaptability.

Applications of Embedded - Microcontroller,

Details	
Product Status	Active
Module/Board Type	MCU, FPGA
Core Processor	ARM Cortex-A9
Co-Processor	Zynq-7000 (Z-7000S)
Speed	33MHz
Flash Size	16MB
RAM Size	-
Connector Type	40 Pin
Size / Dimension	0.71" x 2.01" (18mm x 51mm)
Operating Temperature	0°C ~ 70°C
Purchase URL	https://www.e-xfl.com/product-detail/trenz-electronic/te0722-02-07s-1c

Index

Trenz Electronic

Company Profile 2
Table of contents 3
TE0820 (Zynq UltraScale+) 4
TE0803 (Zynq UltraScale+) 5
TEB0911 (Zynq UltraScale+) 6
TE0808 (Zynq UltraScale+) 7
TEC0330 (Virtex) 8
TEF1001 (Kintex) 9
TE0745 (Zynq) 10
TE0729 (Zynq) 11
TE0715 (Zynq) 12
TE0720 (Zynq) 13
TE0728 (Zynq) 14
TE0782 (Zynq) 15
TE0723 (Zynq) 16
TE0726 (Zynq) 17
TE0722 (Zynq) 18
TE0841 (Kintex UltraScale) 19
TE0741 (Kintex) 20
TE0710 (Artix) 21
TE0711 (Artix) 22
TE0712 (Artix) 23
TE0713 (Artix) 24
TE0714 (Artix) 25
TE0725 / TE0725LP (Artix) 26
TE0790 / TE0790-L 27
TE Carrier Boards 28
TE Carrier Boards 29
Module series comparison table 30

Sundance

Sundance EMC2 - DP, oi110, oi115 32
oi710, oi816, EMC2 - DP stackable Box 33

Xilinx

Boards and kits 34

inrevium

inrevium Boards 35

MYIR

Board and modules 36

cronologic

Ndigo series 37
Violet series / Time Tagger 38
PCie digitizers 39

TE0820 Series
Xilinx Zynq UltraScale+, DDR4, SPI Boot Flash, eMMC

Overview

The Trenz Electronic TE0820 are 4 x 5 standard footprint MPSoC modules integrating a Xilinx Zynq UltraScale+ with up to 4 GByte 32-Bit DDR4 SDRAM, and max. 512 MByte SPI Boot Flash memory for configuration and operation, and powerful switch-mode power supplies for all on-board voltages. A large number of configurable I/O's is provided via rugged high-speed stacking strips.

All modules in 4 x 5 cm form factor are fully mechanically and largely electrically compatible among them. All this on a tiny footprint, smaller than a credit card, at the most competitive price.

All modules produced by Trenz Electronic are developed and manufactured in Germany.

Extended device life cycle

Rugged for industrial applications

Key Features (preliminary)

- Xilinx Zynq UltraScale+ MPSoC 784 pin package (ZU3EG, option ZU5EV)
- Memory:
  - 32-Bit DDR4 - 4 GByte max
  - SPI Boot Flash dual parallel - 512 MByte max
  - 4 GByte eMMC (up to 64 GByte)
- B2B connectors:
  Plug-on module with 2 x 100-pin and 1 x 60-pin high-speed hermaphroditic strips
  - 14 x MIO, 132 I/O's x HP (3 banks)
  - Serial transceiver: PS GTR 4
  - GT Reference clock input
  - PLL for GT Clocks (optional external reference)
  - 1 GBit Ethernet PHY
  - USB 2.0 OTG PHY
  - Real Time Clock
- Size: 40 x 50 mm
- All power supplies on board.

Other assembly options for cost or performance optimization plus high volume prices available on request.



TE0711 Series

Xilinx Artix-7 T, Flash, USB, high pin count, low cost

Overview

Trenz Electronic TE0711 are industrial-grade FPGA modules integrating a Xilinx Artix-7 T FPGA, 32 MByte Flash memory for configuration and operation, and powerful switch-mode power supplies for all on-
number of board voltages.A large configurable I/O's is provided via rugged high-speed stacking strips. All modules in 4 x 5 cm form factor are mechanically compatible.

All this on a tiny footprint, smaller than a credit card, at the most competitive price.

All modules produced by Trenz Electronic are developed and manufactured in Germany.

Key Features

- Industrial-grade Xilinx Artix-7 (15T to 100T) SoM, supported by the free Xilinx Vivado WebPACK tool
- Rugged for shock and high vibration
- 32 MByte QSPI Flash memory (with XiP support)
- 100 MHz programmable MEMS oscillator
- Plug-on module with 2 × 100-pin and 1 × 60-pin high-speed hermaphroditic strips
- 178 FPGA I/O's (84 differential pairs) available on board-to-board connectors
- On-board high-efficiency DC-DC converters
  - 4.0 A x 1.0 V power rail
  - 1.0 A x 1.8 V power rail
- System management and power sequencing
- eFUSE bit-stream encryption
- AES bit-stream encryption
- 3 user LEDs
- FTDI USB to UART/FIFO bridge
- Evenly-spread supply pins for good signal integrity

Other assembly options for cost or performance optimization plus high volume prices available on request.

Extended device life cycle

Rugged for industrial applications

XILINX ALL PROGRAMMABLE™

ARTIX 7™



www.trenz-electronic.de/te0711