



Welcome to **E-XFL.COM**

Understanding Embedded - Microprocessors

Embedded microprocessors are specialized computing chips designed to perform specific tasks within an embedded system. Unlike general-purpose microprocessors found in personal computers, embedded microprocessors are tailored for dedicated functions within larger systems, offering optimized performance, efficiency, and reliability. These microprocessors are integral to the operation of countless electronic devices, providing the computational power necessary for controlling processes, handling data, and managing communications.

Applications of Embedded - Microprocessors

Embedded microprocessors are utilized across a broad spectrum of applications, making them indispensable in

Details		
Product Status	Discontinued at Digi-Key	
Core Processor	Xeon Silver 4109T	
Number of Cores/Bus Width	8 Core, 64-Bit	
Speed	2.0GHz	
Co-Processors/DSP	-	
RAM Controllers	DDR4	
Graphics Acceleration	No	
Display & Interface Controllers	-	
Ethernet	-	
SATA	-	
USB	-	
Voltage - I/O	-	
Operating Temperature	-	
Security Features	-	
Package / Case	3647-LGA Module	
Supplier Device Package	3647-FCLGA (76x56.5)	
Purchase URL	https://www.e-xfl.com/product-detail/advantech/96mpxe-2-0-11m36	

Email: info@E-XFL.COM

Address: Room A, 16/F, Full Win Commercial Centre, 573 Nathan Road, Mongkok, Hong Kong



Intel® Xeon® Silver 4109T Processor

11M Cache, 2.00 GHz

Spec Code SR3GP

Ordering Code CD8067303562200

Intel® Xeon® Silver 4109T Processor (11M Cache, 2.00 GHz)

Code Name	Skylake		
<u>Essentials</u>			
Vertical Segment	Server		
Processor Number	4109T		
Status	Launched		
Launch Date	Q3'17		
Lithography	14 nm		
Recommended Customer Price	\$501.00		
<u>Performance</u>			
# of Cores	8		
# of Threads	16		
Processor Base Frequency	2.00 GHz		
Max Turbo Frequency	3.00 GHz		
Cache	11 MB L3		
# of UPI Links	2		
<u>TDP</u>	<u>70 W</u>		
Supplemental Information			
Embedded Options Available	Yes		
Conflict Free	Yes		
Datasheet	Link		
Product Brief	Link		
Memory Specifications			
Max Memory Size (dependent on memory typ 768 GB			

Memory Types	DDR4-2400			
Maximum Memory Speed	2400 MHz			
Max # of Memory Channels	6			
ECC Memory Supported ‡	<u>Yes</u>			
Expansion Options				
Scalability	2S			
PCI Express Revision	3			
Max # of PCI Express Lanes	<u>48</u>			
Package Specifications				
Sockets Supported	FCLGA3647			
T _{CASE}	90°C			
Package Size	76.0mm x 56.5mm			
Low Halogen Options Available	See MDDS			
Advanced Technologies				
Intel® Optane™ Memory Supported ‡	No			
Intel® Speed Shift Technology	Yes			
Intel® Turbo Boost Max Technology 3.0 ‡	No			
Intel® Turbo Boost Technology	2			
Intel® vPro™ Technology ‡	Yes			
Intel® Hyper-Threading Technology ‡	Yes			
Intel® Virtualization Technology (VT-x) ‡	Yes			
Intel® TSX-NI	Yes			
Intel® 64 ‡	Yes			
Instruction Set Extensions	Intel® SSE4.2, Intel® AVX, Intel® AVX2, Intel® AVX-512			
# of AVX-512 FMA Units	1			
Intel® Volume Management Device (VMD) Yes				
Security & Reliability				
Intel® AES New Instructions	Yes			
Intel® Trusted Execution Technology ‡	Yes			
Mode-based Execute Control (MBE)	Yes			