Welcome to E-XFL.COM

Understanding Embedded - FPGAs (Field Programmable Gate Array)

Embedded - FPGAs, or Field Programmable Gate Arrays, are advanced integrated circuits that offer unparalleled flexibility and performance for digital systems. Unlike traditional fixed-function logic devices, FPGAs can be programmed and reprogrammed to execute a wide array of logical operations, enabling customized functionality tailored to specific applications. This reprogrammability allows developers to iterate designs quickly and implement complex functions without the need for custom hardware.

Applications of Embedded - FPGAs

The versatility of Embedded - FPGAs makes them indispensable in numerous fields. In telecommunications.

Details	
Product Status	Active
Number of LABs/CLBs	-
Number of Logic Elements/Cells	-
Total RAM Bits	36864
Number of I/O	97
Number of Gates	125000
Voltage - Supply	1.425V ~ 1.575V
Mounting Type	Surface Mount
Operating Temperature	-40°C ~ 100°C (TJ)
Package / Case	144-LBGA
Supplier Device Package	144-FPBGA (13x13)
Purchase URL	https://www.e-xfl.com/product-detail/microchip-technology/a3p125-2fg144i

ProASIC3 Device Family Overview

General Description 1-1

ProASIC3 DC and Switching Characteristics

General Specifications 2-1
Calculating Power Dissipation 2-7
User I/O Characteristics 2-15
VersaTile Characteristics 2-81
Global Resource Characteristics 2-85
Clock Conditioning Circuits 2-90
Embedded SRAM and FIFO Characteristics 2-92
Embedded FlashROM Characteristics 2-107
JTAG 1532 Characteristics 2-108

Pin Descriptions

Supply Pins 3-1
User Pins 3-2
JTAG Pins 3-3
Special Function Pins 3-4
Related Documents 3-4

Package Pin Assignments

QN48 – Bottom View 4-1
QN68 – Bottom View 4-3
QN132 – Bottom View 4-6
CS121 – Bottom View 4-15
VQ100 – Top View 4-18
TQ144 – Top View 4-23
PQ208 – Top View 4-28
FG144 – Bottom View 4-39
FG256 – Bottom View 4-52
FG484 – Bottom View 4-65

Datasheet Information

List of Changes 5-1
Datasheet Categories 5-15
Safety Critical, Life Support, and High-Reliability Applications Policy 5-15